




*Saves Your Energy*

**INSTALLATION INSTRUCTION PEM1375ENG  
2013-11**

**ENGLISH**



**Tension clamp  
S095**

## GENERAL INFORMATION

- Check that the kit is suitable for the cable type.
- Check the materials listed in the bill of materials for completeness.
- Read the installation instructions carefully before starting the installation.
- Install carefully and make sure the materials are clean during the installation.
- Clean the working place after the installation.

## LEGAL NOTICE


- The product must be installed only by a competent person with sufficient training in installation practices and with sufficient knowledge of good safety and installation practices in respect of electrical equipment. If local legislation contains provisions in respect of such training or sufficient knowledge in respect of installation of electrical equipment such provisions shall be fulfilled by the said person.
- Ensto accepts no liability concerning claims resulting from misuse, incorrect installation or ignored national safety regulations or other national provisions.
- WARNING: Failure to follow the installation instructions may result in damage to the product and serious or fatal injury.

## TENSION CLAMP S095


Used for the tensioning of all cables dia. 11-19 mm with round shape. Light weight, no loose parts. The clamp is easy to install, without cutting the cable. The body is made of weather and UV-radiation resistant thermoplastic and the bail of hot-dip galvanized steel.

**Table 1.**


Product code	EAN	Cable diameter mm	SMFL kN	Weight (kg)
S095	6418677405174	11-19	0.75 (Ø11 mm), 2.0 (Ø19 mm)	0.1




1. Open the wedge.



2. Insert a conductor.



3. Close the wedge.



5. Install on a hook.



*Saves Your Energy*

ENSTO FINLAND OY  
ENSIO MIETTISEN KATU 2, P.O.BOX 77  
06101 PORVOO, FINLAND  
TEL. +358 204 76 21  
FAX +358 204 762 770  
UTILITY.NETWORKS@ENSTO.COM

[WWW.ENSTO.COM](http://WWW.ENSTO.COM)